

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|---|--|------------------|---------|------------------|
| S3 | 681654 | (link\$3 pair\$3 interfac\$3) near5 (device portable) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 06:59 |
| S4 | 1145194 | (link\$3 pair\$3 interfac\$3) with device | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:00 |
| S5 | 315956 | (transmit\$4 send\$3) with (identif\$8 id unique) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:03 |
| S6 | 123137 | (generat\$3 calculat\$3) with key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:03 |
| S7 | 145757 | (stor\$3 sav\$3) with key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:03 |
| S8 | 9387 | S3 and S4 and S5 and S6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:04 |
| S9 | 6243 | S8 and S7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:04 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|----|------------------|
| S10 | 1445 | 380/277.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:04 |
| S11 | 299 | 380/286.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:05 |
| S12 | 37 | S11 and S8 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:05 |
| S13 | 20772 | secure near (session channel communicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:23 |
| S14 | 23 | S12 and S13 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:23 |
| S15 | 162 | S9 and S10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:25 |
| S16 | 59 | S13 and S15 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 07:26 |

EAST Search History

| | | | | | | |
|-----|-------|---|--|----|----|------------------|
| S22 | 13 | ((search\$3 find\$3) with key with (previous\$2 past)) and escrow | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 09:24 |
| S23 | 12 | (search\$3 find\$3) with (key near escrow) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 09:27 |
| S24 | 231 | (search\$3 find\$3) with (escrow database storage) with key with (previous\$2 past) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 09:29 |
| S25 | 4 | S10 and S24 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 09:29 |
| S26 | 77 | ((search\$3 find\$3) with (escrow database storage) with key with (previous\$2 past)) and ((transmit\$4 send\$3 embed\$4) with (key)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/27 09:38 |
| S31 | 90605 | (pair\$3 link\$3) with first with second with (portable device) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:30 |
| S32 | 4117 | (check\$3 search\$3 verif\$7) with (previous past prior already) with (link\$3 pair\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:31 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|----|------------------|
| S33 | 73911 | (transmit\$4 send\$3) with (device unique) with (id identification identifier serial) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:32 |
| S34 | 8314 | (generat\$3 calculat\$3 creat\$3) with key with ("use" "using" utiliz\$5 "basing" "base" "based" "used") with (id identification identifier serial) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:33 |
| S35 | 12 | S31 and S32 and S33 and S34 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:34 |
| S36 | 30 | S32 and S33 and S34 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:35 |
| S37 | 18 | S36 not S35 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:36 |
| S38 | 1404 | (search\$3 find\$3 check\$3) with (list\$3 database table) with (previous past prior) with (id identification identifier serial record) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:47 |
| S39 | 8575 | (generat\$3 calculat\$3 creat\$3 construct\$3) with key with ("use" "using" utiliz\$5 "basing" "base" "based" "used") with (id identification identifier serial) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:47 |

EAST Search History

| | | | | | | |
|-----|--------|--|--|----|----|------------------|
| S40 | 12 | S38 same S39 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:48 |
| S41 | 90605 | (pair\$3 link\$3) with first with second with (portable device) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:57 |
| S42 | 1404 | (search\$3 find\$3 check\$3) with (list\$3 database table) with (previous past prior) with (id identification identifier serial record) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:57 |
| S43 | 8575 | (generat\$3 calculat\$3 creat\$3 construct\$3) with key with ("use" "using" utiliz\$5 "basing" "base" "based" "used") with (id identification identifier serial) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:57 |
| S44 | 2 | S41 and S42 and S43 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 10:57 |
| S45 | 276760 | ((transmit\$4 send\$3) with (id identification identifier serial)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:02 |
| S46 | 23092 | (transmit\$4 send\$3) with (id identification identifier serial) with (encrypt\$3 encod\$3 secur\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:03 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|----|------------------|
| S47 | 1021 | S43 same S46 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:03 |
| S48 | 867 | S43 with S46 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:06 |
| S49 | 19271 | "380".clas. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:06 |
| S50 | 267 | S48 and S49 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:06 |
| S51 | 3 | S42 and S50 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:06 |
| S52 | 4916 | (generat\$3 calculat\$3 creat\$3 construct\$3) with key with ("use" "using" utiliz\$5 "basing" "base" "based" "used") near4 (id identification identifier serial) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:09 |
| S53 | 1360 | S46 and S52 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:10 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|----|------------------|
| S54 | 36 | S41 and S53 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:10 |
| S55 | 3175 | (transmit\$4 send\$3) with (id identification identifier serial) with (generat\$3 creat\$3 calculat\$3) with key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:17 |
| S56 | 12583 | key near3 ("based" "base" "basing" "using" "use" "used") near4 (id identification identifier serial) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:20 |
| S57 | 494 | S55 with S56 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:20 |
| S58 | 156 | S49 and S57 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:20 |
| S60 | 9028 | (key near3 generator) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:50 |
| S61 | 662 | (key near3 generator) with (serial id identification identifier) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:54 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|----|------------------|
| S62 | 188 | S46 and S61 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:54 |
| S63 | 26 | (transmi\$5 send\$3 transfer\$4) with device adj identifier and key near (calculat\$3 generat\$3 creat\$3) with device adj identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 12:02 |
| S64 | 39 | ((transmi\$5 send\$3 transfer\$4) with device adj identifier) same (key with (calculat\$3 generat\$3 creat\$3) with device adj identifier) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 12:06 |
| S65 | 20 | S64 not S63 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 12:07 |
| S66 | 1965 | (transmi\$5 send\$3 transfer\$4) with device adj identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 12:17 |
| S67 | 151 | (key with (calculat\$3 generat\$3 creat\$3) with device adj identifier) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 12:17 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|--|------------------|---------|------------------|
| S8 | 13987 | (transmit\$4 send\$3 transfer\$4) with (device near (id identification code serial identity identifier)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 07:15 |
| S9 | 143104 | (generat\$3 calculat\$3 creat\$3) with (key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 07:15 |
| S10 | 216280 | device near3 (id identification identity identifier serial code) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 07:15 |
| S11 | 2416 | S9 with S10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 07:16 |
| S12 | 230 | S8 same S11 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 07:16 |
| S13 | 110961 | (transmit\$4 send\$3 tranfer\$4) with key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 07:16 |
| S14 | 189 | S12 same S13 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 07:16 |

EAST Search History

| | | | | | | |
|-----|----|--|--|----|----|------------------|
| S45 | 42 | server with client with (revers\$3 backward) with (authentica\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 10:54 |
|-----|----|--|--|----|----|------------------|